



14251-0006 CIP.ST25.txt
SEQUENCE LISTING

<110> Huan, Bingfang
Albagli, David
Wood, Michael L.
Van Atta, Reuel B.
Cheng, Peter C.

<120> Assays Using Crosslinkable Immobilized Nucleic Acids

<130> 14251-0006 CIP

<140> US/09/379,888

<141> 1999-08-23

<160> 21

<170> PatentIn version 3.0

<210> 1

<211> 23

<212> DNA

<213> Artificial Sequence: Synthetic Oligonucleotide Probe

<220>

<221> misc_feature

<222> (1)..(1)

<223> fluorescein attached at 5' end

<220>

<221> misc_feature

<222> (1)..(2)

<223> 3-O-(7-coumarinyl)-glycerol between position 1 and 2

<400> 1

aacattgcag ttctcttttg gtg

23

<210> 2

<211> 23

<212> DNA

<213> Artificial Sequence: Synthetic Oligonucleotide Probe

<220>

<221> misc_feature

<222> (1)..(1)

<223> fluorescein attached at 5' end

<220>

<221> misc_feature

<222> (1)..(2)

<223> 3-O-(7-coumarinyl)-glycerol between position 1 and 2

<400> 2

tactttcttg gtcgctcctg tgg

23

<210> 3

<211> 23

<212> DNA

<213> Artificial Sequence: Synthetic Oligonucleotide Probe

<220>

<221> misc_feature

<222> (1)..(1)

<223> fluorescein attached at 5' end

<220>

<221> misc_feature

<222> (22)..(23)

<223> 3-O-(7-coumarinyl)-glycerol between position 22 and 23

<400> 3

cagtacacac attctaatat taa

23

<210> 4

<211> 23

<212> DNA

<213> Artificial Sequence: Synthetic Oligonucleotide Probe

<220>

<221> misc_feature

<222> (1)..(1)

<223> fluorescein attached at 5' end

<220>
 <221> misc_feature
 <222> (1)..(2)
 <223> 3-O-(7-coumarinyl)-glycerol between position 1 and 2

<400> 4
 aacatttatc acatacagca tat
 23

<210> 5
 <211> 23
 <212> DNA
 <213> Artificial Sequence: Synthetic Oligonucleotide Probe

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> fluorescein attached at 5' end

<220>
 <221> misc_feature
 <222> (22)..(23)
 <223> 3-O-(7-coumarinyl)-glycerol between position 22 and 23

<400> 5
 atactcacta attttagaat aaa
 23

<210> 6
 <211> 23
 <212> DNA
 <213> Artificial Sequence: Synthetic Oligonucleotide Probe

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> fluorescein attached at 5' end

<220>
 <221> misc_feature
 <222> (22)..(23)
 <223> 3-O-(7-coumarinyl)-glycerol between position 22 and 23

<400> 6
ggtttggttg attgctgttc tat
23

<210> 7
<211> 23
<212> DNA
<213> Artificial Sequence: Synthetic Oligonucleotide Probe

<220>
<221> misc_feature
<222> (1)..(1)
<223> fluorescein attached at 5' end

<220>
<221> misc_feature
<222> (22)..(23)
<223> 3-O-(7-coumarinyl)-glycerol between position 22 and 23

<400> 7
cagttaatac acctaattaa caa
23

<210> 8
<211> 23
<212> DNA
<213> Artificial Sequence: Synthetic Oligonucleotide Probe

<220>
<221> misc_feature
<222> (1)..(1)
<223> fluorescein attached at 5' end

<220>
<221> misc_feature
<222> (22)..(23)
<223> 3-O-(7-coumarinyl)-glycerol between position 22 and 23

<400> 8
gtctttgctt ttcttcagga caa

23

<210> 9
<211> 23
<212> DNA
<213> Artificial Sequence: Synthetic Oligonucleotide Probe

<220>
<221> misc_feature
<222> (1)..(1)
<223> fluorescein attached at 5' end

<220>
<221> misc_feature
<222> (22)..(23)
<223> 3-O-(7-coumarinyl)-glycerol between position 22 and 23

<400> 9
tggaatcttt gctttttgtc caa
23

<210> 10
<211> 22
<212> DNA
<213> Artificial Sequence: Synthetic Oligonucleotide Probe

<220>
<221> misc_feature
<222> (1)..(1)
<223> fluorescein attached at 5' end

<220>
<221> misc_feature
<222> (1)..(2)
<223> 3-O-(7-coumarinyl)-glycerol between position 1 and 2

<400> 10
atgtaggtgt atctccatgc at
22

<210> 11

<211> 24
 <212> DNA
 <213> Artificial Sequence: Synthetic Oligonucleotide Probe

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> fluorescein attached at 5' end

<220>
 <221> misc_feature
 <222> (22)..(23)
 <223> 3-O-(7-coumarinyl)-glycerol between position 22 and 23

<400> 11
 ctctggttgc aaatctaaca taat
 24

<210> 12
 <211> 23
 <212> DNA
 <213> Artificial Sequence: Synthetic Oligonucleotide Probe

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> fluorescein attached at 5' end

<220>
 <221> misc_feature
 <222> (1)..(2)
 <223> 3-O-(7-coumarinyl)-glycerol between position 1 and 2

<400> 12
 atgggctctg tccggttctg ctt
 23

<210> 13
 <211> 24
 <212> DNA
 <213> Artificial Sequence: Synthetic Oligonucleotide Probe

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> fluorescein attached at 5' end

<220>
 <221> misc_feature
 <222> (22)..(23)
 <223> 3-O-(7-coumarinyl)-glycerol between position 22 and 23

<400> 13
 ttgtacgcac aaccgaagcg taag
 24

<210> 14
 <211> 23
 <212> DNA
 <213> Artificial Sequence: Synthetic Oligonucleotide Probe

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> fluorescein attached at 5' end

<220>
 <221> misc_feature
 <222> (1)..(2)
 <223> 3-O-(7-coumarinyl)-glycerol between position 1 and 2

<400> 14
 aagtacgaat gtctacgtgt gtc
 23

<210> 15
 <211> 23
 <212> DNA
 <213> Artificial Sequence: Synthetic Oligonucleotide Probe

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> fluorescein attached at 5' end

<220>
 <221> misc_feature
 <222> (22)..(23)
 <223> 3-O-(7-coumarinyl)-glycerol between position 22 and 23

<400> 15
 agttgtttgc agctctgtgc ata
 23

<210> 16
 <211> 23
 <212> DNA
 <213> Artificial Sequence: Synthetic Oligonucleotide Probe

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> fluorescein attached at 5' end

<220>
 <221> misc_feature
 <222> (1)..(2)
 <223> 3-O-(7-coumarinyl)-glycerol between position 1 and 2

<400> 16
 aagtcata cctcagcag cag
 23

<210> 17
 <211> 23
 <212> DNA
 <213> Artificial Sequence: Synthetic Oligonucleotide Probe

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> fluorescein attached at 5' end

<220>
 <221> misc_feature

<222> (22)..(23)

<223> 3-O-(7-coumarinyl)-glycerol between position 22 and 23

<400> 17

atatactatg cataaatccc gaa
23

<210> 18

<211> 23

<212> DNA

<213> Artificial Sequence: Synthetic Oligonucleotide Probe

<220>

<221> misc_feature

<222> (1)..(1)

<223> fluorescein attached at 5' end

<220>

<221> misc_feature

<222> (22)..(23)

<223> 3-O-(7-coumarinyl)-glycerol between position 22 and 23

<400> 18

ttccatacaa actataacaa tat
23

<210> 19

<211> 23

<212> DNA

<213> Artificial Sequence: Synthetic Oligonucleotide Probe

<220>

<221> misc_feature

<222> (1)..(1)

<223> fluorescein attached at 5' end

<220>

<221> misc_feature

<222> (22)..(23)

<223> 3-O-(7-coumarinyl)-glycerol between position 22 and 23

<400> 19

cgaccggtcc accgaccct taa

23

<210> 20

<211> 23

<212> DNA

<213> Artificial Sequence: Synthetic Oligonucleotide Probe

<220>

<221> misc_feature

<222> (1)..(1)

<223> fluorescein attached at 5' end

<220>

<221> misc_feature

<222> (22)..(23)

<223> 3-O-(7-coumarinyl)-glycerol between position 22 and 23

<400> 20

agttcttgat gatctgcaac aaa

23

<210> 21

<211> 23

<212> DNA

<213> Artificial Sequence: Synthetic Oligonucleotide Probe

<220>

<221> misc_feature

<222> (1)..(1)

<223> fluorescein attached at 5' end

<220>

<221> misc_feature

<222> (22)..(23)

<223> 3-O-(7-coumarinyl)-glycerol between position 22 and 23

<400> 21

acacttgcaa caaaaggta cat

23